

Branson TRACTORS

The **NEW** power in compact tractors.



30 SERIES

30
SERIES

The **NEW** power in compact tractors

GWS
MACHINERY

- ✓ 24 SPEED 'SHUTTLE SHIFT' TRANSMISSION
- ✓ POSITIVE WET DISC BRAKES
- ✓ TILT UP HOOD FOR EASY DAILY SERVICE
- ✓ SMOOTH HIGH TORQUE CUMMINS ENGINES



CASTOR WHEEL ACTION

With a 10 degree caster angle on the front axle the tractor turns sharper as the front wheels slightly tilt.

The moment you step aboard a Branson 30 series tractor you'll appreciate the operator comfort and obvious build quality. Engineered with extra weight in the chassis and castings Branson 30 series tractors are beautifully balanced and efficiently transfer the Cummins engine power to the ground - resulting in better performance and fuel economy.



POWERED BY CUMMINS

World renowned Cummins engines combine high torque with exceptional fuel economy and long service intervals. Precision balancing make these engines incredibly smooth, quiet and vibration free, even at full speed.



OPERATOR COMFORT

Both rops and cab models offer wide uncluttered operators platforms providing excellent all round vision. Gear change, hydraulics and PTO controls are conveniently located on right hand console while transmission shuttle shift is located on left of steering wheel making loader work easier.



ROPS TRACTOR

Branson 30 series tractors are available as open station tractors with approved roll over protection or with the very impressive 'broad view' air conditioned operator cabin.



HEAVY DUTY BUILD

Built in weight for better traction. The three point linkage suits all category 2 implements while the high capacity hydraulic pump is large enough to efficiently run front end loader and backhoe attachments.

FRONT END LOADERS

ENGINEERED TO MATCH OUR TRACTORS, BRANSON SELF LEVEL LOADERS ARE HEAVILY BUILT AND OFFER LOADS OF FEATURES INCLUDING SINGLE LEVER JOYSTICK CONTROL AND QUICK ATTACH/DETACH IMPLEMENTS. TAESUNG QUICK ATTACH BACKHOES ARE AVAILABLE TO SUIT BOTH 30 SERIES MODELS.



Compact, versatile and **powerful!**

Specifications

Make Model Drive Chassis	BRANSON 5530 cabin 4WD Rigid	BRANSON 5530 rops 4WD Rigid	BRANSON 6530 cabin 4WD Rigid	BRANSON 6530 rops 4WD Rigid
Standard Specification				
Engine	A2300T2-ATC	A2300T2-ATC	Cummins 3.3	Cummins 3.3
Number Cylinders/cc	4/2286	4/2286	4T/3260	4T3260
Engine Power kw/(hp)	41/55	41/55	48/65	48/65
@ rated speed	2600	2600	2600	2600
Rating Standard	Mfr	Mfr	Mfr	Mfr
PTO				
PTO kw/(hp)	36.5/(47.0)	36.5/(47.0)	43/(57)	43/(57)
Source of Rating	Est	Est	Est	Est
Type	Live	Live	Live	Live
Ground Speed/540E	No/No	No/No	No/No	No/No
Speeds	540/750/1000	540/750/1000	540/750/1000	540/750/1000
Speed Selection Method	Lever	Lever	Lever	Lever
Transmission				
Type	Synchro Shuttle	Synchro Shuttle	Synchro Shuttle	Synchro Shuttle
High-Low/Shuttle	Yes/Yes	Yes/Yes	Yes/Yes	Yes/Yes
Speeds Forward/Reverse	24/24	24/24	24/24	24/24
Speed Range	0.20-26.0	0.20-26.0	0.20-26.0	0.20-26.0
Clutch Type	Dry	Dry	Dry	Dry
Hydraulic System				
Description	Open Centre	Open Centre	Open Centre	Open Centre
Pump Type	Gear	Gear	Gear	Gear
Max l/min - Pressure kg/cm ²	41.6/160	41.6/160	41.6/160	41.6/160
Remote Outlets Std/Max	2	2	2	2
3 Point Linkage				
Category	1	1	2	2
Draft Sensing	top link	top link	top link	top link
Lift - kg @ Position	1821@BE	1821@BE	1921@BE	1921@BE
Brake Type	Wet Disc	Wet Disc	Wet Disc	Wet Disc
Steering Type	Hydrostatic	Hydrostatic	Hydrostatic	Hydrostatic
Tyre Equipment				
Standard Front	9.2-20	9.2-20	11.2-20	11.2-20
Standard Rear	14.9-28	14.9-28	14.9-30	14.9-30
Turf Front	Optional	Optional	Optional	Optional
Turf Rear	Optional	Optional	Optional	Optional
Dimension/Weights				
Minimum Width	1720	1720	1790	1790
Turning Circle (No Brakes)	4153	4153	4000	4000
Dry Shipping Weight (kg)	2441	2309	2640	2432

Information contained in this publication was current at time of printing. However inaccuracies, error or omissions may occur and specifications and designs are subject to change without notice. Therefore all specifications should be confirmed with your dealer prior to any purchases.

Branson
TRACTORS



Distributed in Australia by
Global Tractors & Equipment Pty Limited
8 Kindale Court, Pooraka, South Australia 5095
Ph: (08) 8260 1766 Fax: (08) 8260 4066

YOUR LOCAL DEALER

GWS Machinery

(ABN 34 002 790 730)

5 Walker Street, South Windsor, NSW, 2756

Phone (02) 4577 4622 | Spare Parts (02) 4577 5833 | Fax (02) 4577 3352

Email: sales@gwsmachinery.com.au

www.gwsmachinery.com.au